


Hex socket head cap screws with low head, partially / fully threaded

DIN-7984



Additional information

Fasteners to the given specification have a reduced loadability due to the head geometry according to ISO 898-1.

Headform

Cylindrical low

Drive

Hexagon socket

Thread

partially / fully threaded

Material

Steel

Strength class

As Per Requirements

Surface

As Per Requirements

Standard

DIN-7984

b: the partially threaded version can not always be guaranteed

FORGE FIT INDIA

Article no.	d1	L	d2	k	s	t	b
1203005	M3	5	5,5	2	2	1,5	-
1203006	M3	6	5,5	2	2	1,5	-
1203008	M3	8	5,5	2	2	1,5	-
1203010	M3	10	5,5	2	2	1,5	-
1203012	M3	12	5,5	2	2	1,5	-
1203016	M3	16	5,5	2	2	1,5	-
1203020	M3	20	5,5	2	2	1,5	12
1203025	M3	25	5,5	2	2	1,5	12
1203030	M3	30	5,5	2	2	1,5	12
1204006	M4	6	7	2,8	2,5	2,3	-
1204008	M4	8	7	2,8	2,5	2,3	-
1204010	M4	10	7	2,8	2,5	2,3	-

Article no.	d1	L	d2	k	s	t	b
1204012	M4	12	7	2,8	2,5	2,3	-
1204016	M4	16	7	2,8	2,5	2,3	-
1204020	M4	20	7	2,8	2,5	2,3	-
1204025	M4	25	7	2,8	2,5	2,3	14
1204030	M4	30	7	2,8	2,5	2,3	14
1204035	M4	35	7	2,8	2,5	2,3	14
1204040	M4	40	7	2,8	2,5	2,3	14
1205006	M5	6	8,5	3,5	3	2,7	-
1205008	M5	8	8,5	3,5	3	2,7	-
1205010	M5	10	8,5	3,5	3	2,7	-
1205012	M5	12	8,5	3,5	3	2,7	-
1205014	M5	(14)	8,5	3,5	3	2,7	-
1205016	M5	16	8,5	3,5	3	2,7	-
1205020	M5	20	8,5	3,5	3	2,7	-
1205025	M5	25	8,5	3,5	3	2,7	-
1205030	M5	30	8,5	3,5	3	2,7	16
1205035	M5	35	8,5	3,5	3	2,7	16
1205050	M5	50	8,5	3,5	3	2,7	16
1206010	M6	10	10	4	4	3	-
1206012	M6	12	10	4	4	3	-
1206014	M6	(14)	10	4	4	3	-
1206016	M6	16	10	4	4	3	-
1206020	M6	20	10	4	4	3	-
1206025	M6	25	10	4	4	3	-
1206030	M6	30	10	4	4	3	18
1206035	M6	35	10	4	4	3	18
1206040	M6	40	10	4	4	3	18
1206050	M6	50	10	4	4	3	18
1208012	M8	12	13	5	5	3,8	-
1208014	M8	(14)	13	5	5	3,8	-
1208016	M8	16	13	5	5	3,8	-
1208018	M8	(18)	13	5	5	3,8	-
1208020	M8	20	13	5	5	3,8	-
1208025	M8	25	13	5	5	3,8	-
1208030	M8	30	13	5	5	3,8	-
1208035	M8	35	13	5	5	3,8	22
1208040	M8	40	13	5	5	3,8	22
1208050	M8	50	13	5	5	3,8	22
1208060	M8	60	13	5	5	3,8	22
1210012	M10	12	16	6	7	4,5	-
1210014	M10	14	16	6	7	4,5	-
1210016	M10	16	16	6	7	4,5	-
1210020	M10	20	16	6	7	4,5	-
1210025	M10	25	16	6	7	4,5	-
1210030	M10	30	16	6	7	4,5	-
1210035	M10	35	16	6	7	4,5	-
1210040	M10	40	16	6	7	4,5	26
1210050	M10	50	16	6	7	4,5	26
1212020	M12	20	18	7	8	5	-
1212025	M12	25	18	7	8	5	-

Article no.	d1	L	d2	k	s	t	b
1212030	M12	30	18	7	8	5	-
1212035	M12	35	18	7	8	5	-
1212040	M12	40	18	7	8	5	-
1216030	M16	30	24	9	12	5,5	-
1216035	M16	35	24	9	12	5,5	-
1216040	M16	40	24	9	12	5,5	-



FORGE FIT INDIA